

Appendix M Invertebrate Taxa Collected at Pitfall Trapping Sites 1 - 22. SRE and/or Especially Protected Species are Highlighted in Orange

| Class | Order | Family | Genus | Species | Sites | | | | | | | | | | | | | | | | | | | | | |
|-----------|-------------------|----------------------|------------------------|-------------------------|-------|---|----|---|---|----|----|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|
| | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| Arachnida | Mygalomorphae | Actinopodidae | <i>Missulena</i> | <i>insignis</i> | | | | | | | | | | | | | | | | | | | 1 | | | |
| Arachnida | Mygalomorphae | Actinopodidae | <i>Missulena</i> | sp. | | | | | | | | | | | 1 | 1 | | | | | | 1 | | | | |
| Arachnida | Mygalomorphae | Barychelidae | <i>Aureocorypta</i> | <i>lugubris</i> | | | | | | | | | | | 1 | | | | | | | | | | | |
| Arachnida | Mygalomorphae | Dipluridae | <i>Cethegus</i> | <i>fugax complex</i> | | | 4 | | | | | | | | 3 | | | | | | | | | 1 | | |
| Arachnida | Mygalomorphae | Idiopidae | <i>Anidiops</i> | <i>manstridgei</i> | | | | | | | | | | | | | | | | | | | | | | |
| Arachnida | Mygalomorphae | Idiopidae | <i>Anidiops</i> | sp. | 1 | | | | | | 1 | | | | | | | | | | 1 | | 1 | 1 | | |
| Arachnida | Mygalomorphae | Idiopidae | <i>Arbanitis</i> | sp. | | | | | | | | | | | | | | | | | | | | | | |
| Arachnida | Mygalomorphae | Idiopidae | <i>Blakistonia</i> | sp. | | | | | | | | | | | | | | | | | | | | 1 | | |
| Arachnida | Mygalomorphae | Idiopidae | <i>Eucyrtops</i> | sp. | 1 | | | | | | 2 | | | | | 1 | | 1 | 1 | | | 1 | | | | |
| Arachnida | Mygalomorphae | Idiopidae | <i>Idiosoma</i> | <i>nigrum</i> | | | | | | 1 | | | | | | | | | | | | | | | | |
| Arachnida | Mygalomorphae | Nemesiidae | <i>Aname</i> | <i>mainae</i> | | | | | | | | | | | | | | | | | | | | | | |
| Arachnida | Mygalomorphae | Nemesiidae | <i>Aname</i> | sp. | 1 | 1 | 2 | | | | 1 | | | | | | | | | | 4 | 1 | | | | |
| Arachnida | Mygalomorphae | Nemesiidae | <i>Chenistonia</i> | <i>tepperi</i> | 1 | | | | | | | | | | | | | | | | | | | | | |
| Arachnida | Mygalomorphae | Nemesiidae | <i>Kwonkan</i> | sp. | | | | | | | | | | | | | 1 | | | | | | | | | |
| Arachnida | Mygalomorphae | Nemesiidae | <i>Teyl</i> | sp. | | | | | | | | | | | | | | | | | | | | | | |
| Arachnida | Pseudoscorpionida | Garypidae | <i>Synsphyronus</i> | sp. | | | | | | | | | | | | | | | | | | | | | | |
| Arachnida | Pseudoscorpionida | Olpiidae | <i>Austrohorus</i> | sp. | | | 1 | 1 | | | | | | | | | 1 | | 1 | 1 | | | | | | |
| Arachnida | Pseudoscorpionida | Olpiidae | <i>Beierolpium</i> | sp. (8/2) | | | 1 | | 1 | | | 1 | 1 | | 1 | 2 | | 1 | | 1 | | 2 | 1 | 1 | | |
| Arachnida | Pseudoscorpionida | Olpiidae | <i>Beierolpium</i> | sp. (8/4) | | | 2 | 1 | | | | | | | | 1 | | | | | | | 1 | 1 | | |
| Arachnida | Pseudoscorpionida | Olpiidae | <i>Indolpium</i> | sp. | | | 1 | | | | | 1 | | | | | | 1 | | 1 | | | | | | |
| Arachnida | Pseudoscorpionida | Olpiidae | unknown | unknown | | | | | | | 1 | | | | | | | | | | | | | | | |
| Arachnida | Scorpiones | Buthidae | <i>Isometroides</i> | sp. 1 | | 1 | | | | | | | | | | | | | | | | | | | | |
| Arachnida | Scorpiones | Buthidae | <i>Isometroides</i> | sp. 2 | | | | | 1 | 1 | | | 1 | | | | | | | | | | | | | |
| Arachnida | Scorpiones | Buthidae | <i>Lychas</i> | <i>Jonesae</i> | | | | | | | | | | | | | | | | | | | | | | |
| Arachnida | Scorpiones | Buthidae | <i>Lychas</i> | <i>marmoreus</i> | | | | | | | | | | | | | | | | | | | | | | |
| Arachnida | Scorpiones | Buthidae | <i>Lychas</i> | sp. nov. H | | | 1 | | | 1 | | | | | | | | | | | | | 1 | | | |
| Arachnida | Scorpiones | Buthidae | <i>Lychas</i> | <i>splendens</i> | | | 1 | | 1 | 1 | | 1 | 1 | | 1 | | 1 | | 1 | 1 | | | 1 | | | |
| Arachnida | Scorpiones | Urodacidae | <i>Urodacus</i> | sp. nov. 'Weld Range' | | | 1 | 1 | 1 | | | | | | | | | | | | | | | | | |
| Arachnida | Scorpiones | Urodacidae | <i>Urodacus</i> | <i>yaschenkoi</i> | 1 | | 1 | | | 1 | 1 | | | | | | | | | | | | | | | |
| Chilopoda | Geophilomorpha | Mecistocephalidae | <i>Mecistocephalus</i> | sp. | | | 1 | | | | | | | 1 | | | | | | | | | | | | |
| Chilopoda | Scolopendramorpha | Otostigminae | <i>Ethmostigmus</i> | <i>rubripes</i> | | | 1 | | 1 | | | | | | | | | | | | | | | | | |
| Chilopoda | Scolopendramorpha | Scolopendramorphidae | <i>Cormocephalus</i> | <i>brachycerus</i> | | | | | | | | | | | | | | | | | | | | 1 | | |
| Chilopoda | Scolopendramorpha | Scolopendramorphidae | <i>Cormocephalus</i> | <i>westangelasensis</i> | 3 | 1 | | | 1 | | 1 | 1 | | | | | | | | | | | | 1 | | |
| Chilopoda | Scolopendramorpha | Scolopendramorphidae | <i>Scolopendra</i> | <i>laeta</i> | 3 | 1 | | | | | | 1 | 6 | 1 | | 1 | | | 1 | 1 | 3 | 1 | | 4 | | |
| Chilopoda | Scolopendramorpha | Scolopendramorphidae | <i>Scolopendra</i> | sp. | | | | | 1 | | 1 | | | | | | | 2 | | | 1 | | | | | |
| Chilopoda | Scolopendramorpha | Scolopendridae | <i>Arthrurhabdus</i> | <i>mjobergi</i> | | | 1 | | | | | | | | | | | 2 | | | | 1 | | | | |
| Chilopoda | Scolopendramorpha | Scolopendridae | <i>Cormocephalus</i> | sp. | | | | | | | | | | | | | | | | | | | | | | |
| Chilopoda | Scolopendramorpha | Scolopendridae | <i>Scolopendra</i> | <i>morsitans</i> | | | 1 | | | 1 | | 1 | | | 1 | 1 | 6 | 1 | 1 | | | | 1 | | | |
| Chilopoda | Scutigleromorpha | Scutigleridae | <i>Thereupoda</i> | <i>longicornis</i> | | | | | | | | 1 | 1 | | | | | | | | | 1 | | | | |
| Diplopoda | Polydesmida | Paradoxosomatidae | <i>Antichiropus</i> | sp. 'Weld Range' | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | |
| Isopoda | Onicidea | Armadillidae | <i>Buddelundia</i> | sp. | | | 10 | | 1 | | 10 | 1 | 1 | 1 | | 1 | | 1 | 20 | 20 | 1 | 1 | 1 | 1 | | |
| Isopoda | Onicidea | Armadillidae | <i>Cubaris</i> | sp. | | | 1 | | | | | | | | | | | | | | 1 | | | | | |
| Isopoda | Onicidea | Armadillidae | <i>Spherillo</i> | sp. | | | | | 1 | | | | | 1 | | | | | | | | | | 1 | | |
| Isopoda | Onicidea | Phillociidae | <i>Laevophiloscia</i> | sp. | | | | | | 10 | | | | 1 | | | | 1 | | 1 | | 1 | | | | |
| Mollusca | Pulmonata | Camaenidae | <i>Pleuroxia</i> | sp. | | | | | | | | | | | | | | | | | | | | 1 | | |

Appendix M Invertebrate Taxa Collected at Pitfall Trapping Sites 1 - 22. SRE and/or Especially Protected Species are Highlighted in Orange.

| Class | Order | Family | Genus | Species | Foraging Sites | | | | | | | | | | | | | | |
|-----------|-------------|-------------------|---------------------|------------------|----------------|---|----|----|----|----|----|----|----|----|----|----|----|----|----|
| | | | | | 1 | 2 | 18 | 19 | 21 | 25 | 30 | 31 | 38 | 39 | 45 | 47 | 62 | 65 | 71 |
| Mollusca | Pulmonata | Camaenidae | <i>Pleuroxia</i> | sp. | | | | 1 | 2 | | | 1 | | | 8 | 7 | | 2 | |
| Isopoda | Onicidea | Armadillidae | <i>Buddelundia</i> | sp. | 1 | | | 8 | | | 1 | | 1 | 1 | | | 2 | | 1 |
| Diplopoda | Polydesmida | Paradoxosomatidae | <i>Antichiropus</i> | sp. `Weld Range` | 1 | 1 | 1 | 2 | | 1 | | | 1 | 1 | | 1 | | | |