

1. *Western Ring-tailed Possum*

1. Fauna habitat	Area total	Area of Habitat for the PAA					Area adjusted for condition
		Completely degraded (0.1)	Degraded (0.3)	Good (0.5)	Very good (0.7)	Excellent (0.9)	
BB	23.47	0	0	0	0	23.47	21.12
DL	12.85	0	0	0	0	12.85	11.56
JC	183.05	0	0	0	0	183.05	164.74
JM	29.49	0	0	0	0	29.49	26.54
RE	7.01	7.01	0	0	0	0	0.7
Total	255.87	7.01	0	0	0	248.86	224.68

2. Quokka

Fauna habitat	Area total	Area of Habitat for the PAA					Area adjusted for condition
		Completely degraded (0.1)	Degraded (0.3)	Good (0.5)	Very good (0.7)	Excellent (0.9)	
BB	23.47	0	0	0	0	23.47	21.12
DL	12.85	0	0	0	0	12.85	11.56
JC	183.05	0	0	0	0	183.05	164.74
JM	29.49	0	0	0	0	29.49	26.54
RE	7.01	7.01	0	0	0	0	0.7
Total	255.87	7.01	0	0	0	248.86	224.68

3. Carnaby's, Baudin's and Forest Red-tail Black Cockatoos

Fauna habitat	Area total	Area of Habitat for the PAA					Area adjusted for condition
		Completely degraded (0.1)	Degraded (0.3)	Good (0.5)	Very good (0.7)	Excellent (0.9)	
BB	31.53	0	0.8	0	0	30.73	27.9
DL	154.02	0	0	0	0	154.02	138.62
FD	0.92	0	0	0	0	0.92	0.83
FG	78.97	0	5.6	0	0.06	73.31	67.7
JC	3144.53	0.83	92.8	24.32	52.6	2973.98	2753.48
JM	1399.63	0.42	44.03	11.75	64.02	1279.41	1215.41
ML	1.36	0	0	0	0	1.36	1.22
MS	23.61	0	11.32	0	3.67	8.62	13.72
PH	6.15	0	1.92	0	0	4.23	4.38
PL	85.89	38.58	0	0	0	47.31	46.44
RE	605.09	7.01	598.08	0	0	0	180.12
WO	500.2	0	143.94	22.04	49.18	285.04	345.16
Total	6031.9	46.84	898.49	58.11	169.53	4858.93	4794.99

4. Woylie

Fauna habitat	Area total	Area of Habitat for the PAA					Area adjusted for condition
		Completely degraded (0.1)	Degraded (0.3)	Good (0.5)	Very good (0.7)	Excellent (0.9)	
BB	2.97	0	0	0	0	2.97	2.67
DL	57.79	0	0	0	0	57.79	52.01
FG	69.02	0	0	0	0	69.02	62.12
JC	1343.23	0	0	0	0	1343.23	1208.91
JM	473.4	0	0	0	0	473.4	426.06
ML	1.27	0	0	0	0	1.27	1.14
MS	8.1	0	0	0	0	8.1	7.29
PH	0.05	0	0	0	0	0.05	0.05
RE	86.59	0	86.59	0	0	0	25.98
WO	78.94	0	0	0	0	78.94	71.05
Total	2121.36	0	86.59	0	0	2034.77	1857.27

5. Chuditch

Fauna habitat	Area total	Area of Habitat for the PAA					Area adjusted for condition
		Completely degraded (0.1)	Degraded (0.3)	Good (0.5)	Very good (0.7)	Excellent (0.9)	
BB	31.53	0	0.8	0	0	30.73	27.9
DL	154.02	0	0	0	0	154.02	138.62
FD	0.92	0	0	0	0	0.92	0.83
FG	78.97	0	5.6	0	0.06	73.31	67.7
JC	3144.53	0.83	92.8	24.32	52.6	2973.98	2753.48
JM	1399.63	0.42	44.03	11.75	64.02	1279.41	1215.41
ML	1.36	0	0	0	0	1.36	1.22
MS	23.61	0	11.32	0	3.67	8.62	13.72
PH	6.15	0	1.92	0	0	4.23	4.38
RE	604.93	7.01	597.92	0	0	0	180.08
WO	500.2	0	143.94	22.04	49.18	285.04	345.16
Total	5945.85	8.26	898.33	58.11	169.53	4811.62	4748.51

6. *Red-tailed Phascogale*

Fauna habitat	Area total	Area of Habitat for the PAA					Area adjusted for condition
		Completely degraded (0.1)	Degraded (0.3)	Good (0.5)	Very good (0.7)	Excellent (0.9)	
JC	298.21	0	0	0	0	298.21	268.39
JM	104.17	0	0	0	0	104.17	93.75
WO	21.17	0	0	0	0	21.17	19.05
Total	423.55	0	0	0	0	423.55	381.2