

Safety Data Sheet

Magnafloc® LT27AG

Revision date : 2017/06/14
Version: 3.1

Page: 1/9
(30481792/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

Magnafloc® LT27AG

Recommended use of the chemical and restriction on use

Recommended use*: flocculation agent

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc.
100 Milverton Drive
Mississauga, ON L5R 4H1, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

CANUTEC (reverse charges): (613) 996-6666
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Chemical family: polyacrylamide, anionic

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

No need for classification according to GHS criteria for this product.

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

Safety Data Sheet

Magnafloc® LT27AG

Revision date : 2017/06/14
Version: 3.1

Page: 2/9
(30481792/SDS_GEN_CA/EN)

Very slippery when wet.

This type of product has a tendency to create dust if roughly handled. The product does not burn readily but as with many organic powders, flammable dust clouds may be formed in air. The product is under certain conditions capable of dust explosion.

Labeling of special preparations (GHS):

This product is not combustible in the form in which it is shipped by the manufacturer, but may form a combustible dust through downstream activities (e.g. grinding, pulverizing) that reduce its particle size.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

This product does not contain any components classified as hazardous under the referenced regulation.

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Rinse mouth and then drink plenty of water. Check breathing and pulse. Place victim in the recovery position, cover and keep warm. Loosen tight clothing such as a collar, tie, belt or waistband. Seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Safety Data Sheet

Magnafloc® LT27AG

Revision date : 2017/06/14
Version: 3.1

Page: 3/9
(30481792/SDS_GEN_CA/EN)

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
dry powder, foam

Unsuitable extinguishing media for safety reasons:
water jet

Additional information:

If water is used, restrict pedestrian and vehicular traffic in areas where slip hazard may exist.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon oxides, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire. Very slippery when wet.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear a self-contained breathing apparatus.

Further information:

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental release measures

Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Forms slippery surfaces with water.

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Nonsparking tools should be used.

7. Handling and Storage

Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Forms slippery surfaces with water.

Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static

Safety Data Sheet

Magnafloc® LT27AG

Revision date : 2017/06/14
Version: 3.1

Page: 4/9
(30481792/SDS_GEN_CA/EN)

electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Store in unopened original containers in a cool and dry place. Avoid wet, damp or humid conditions, temperature extremes and ignition sources.

Storage stability:
Avoid extreme heat.

8. Exposure Controls/Personal Protection

No occupational exposure limits known.

Advice on system design:

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields.

Body protection:

light protective clothing

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Wearing of closed work clothing is recommended. Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work.

9. Physical and Chemical Properties

Form:	powder
Odour:	odourless
Odour threshold:	No data available.
Colour:	off-white

Safety Data Sheet

Magnafloc® LT27AG

Revision date : 2017/06/14
Version: 3.1

Page: 5/9
(30481792/SDS_GEN_CA/EN)

pH value:	6 - 8 (10 g/l) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
Melting point:	The substance / product decomposes therefore not determined.
Boiling point:	not applicable
Sublimation point:	No applicable information available.
Flash point:	not applicable
Flammability:	not flammable
Lower explosion limit:	No applicable information available.
Upper explosion limit:	No applicable information available.
Autoignition:	No applicable information available.
Vapour pressure:	The product has not been tested.
Relative density:	No data available.
Bulk density:	approx. 750 kg/m ³
Vapour density:	No applicable information available.
Partitioning coefficient n-octanol/water (log Pow):	Study scientifically not justified.
Self-ignition temperature:	not self-igniting
Viscosity, dynamic:	not applicable, the product is a solid
% volatiles:	not determined
Solubility in water:	Forms a viscous solution.
Solubility (quantitative):	No applicable information available.
Solubility (qualitative):	No applicable information available.
Evaporation rate:	The product is a non-volatile solid.
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions.

Stable under normal conditions.

No hazardous reactions known.

Conditions to avoid

Avoid extreme temperatures. Avoid humidity.

Incompatible materials

Safety Data Sheet

Magnafloc® LT27AG

Revision date : 2017/06/14
Version: 3.1

Page: 6/9
(30481792/SDS_GEN_CA/EN)

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: No known acute effects.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg (OECD Guideline 401)

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

Skin

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

Eye

Species: rabbit

Result: non-irritant

Sensitization

Assessment of sensitization: Based on the ingredients, there is no suspicion of a skin-sensitizing potential.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statement has been derived from the properties of the individual components.

Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Safety Data Sheet

Magnafloc® LT27AG

Revision date : 2017/06/14
Version: 3.1

Page: 7/9
(30481792/SDS_GEN_CA/EN)

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

None of the components in this product at concentrations greater than 0.1% are listed by IARC; NTP, OSHA or ACGIH as a carcinogen.

Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Teratogenicity

Assessment of teratogenicity: Based on the ingredients, there is no suspicion of a teratogenic effect.

Other Information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Toxicity to fish

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (static)
(under static conditions in the presence of 10 mg/L humic acid)

Aquatic invertebrates

LC50 (48 h) > 100 mg/l, Daphnia magna

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

Information on: Anionic polyacrylamide

Adsorption to solid soil phase is expected.

Additional information

Other ecotoxicological advice:

Safety Data Sheet

Magnafloc® LT27AG

Revision date : 2017/06/14
Version: 3.1

Page: 8/9
(30481792/SDS_GEN_CA/EN)

The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

VOC content:

not determined

Federal Regulations

Registration status:

Chemical DSL, CA released / listed

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2017/06/14

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our

Safety Data Sheet

Magnafloc® LT27AG

Revision date : 2017/06/14
Version: 3.1

Page: 9/9
(30481792/SDS_GEN_CA/EN)

operations on society and the environment during production, storage, transport, use and disposal of our products.

Magnafloc® LT27AG is a registered trademark of BASF Canada or BASF SE
END OF DATA SHEET