

Species	Cover (%)	Height (m)
<i>Ehrharta calycina</i>	+	
<i>Gnephosis angianthoides</i>	+	
<i>Hibbertia subvaginata</i>	+	
<i>Hypochoeris glabra</i>	+	
<i>Jacksonia furcellata</i>	+	
<i>Lechenaultia floribunda</i>	+	
<i>Pentameris airoides</i>	+	
<i>Podotheca gnaphaloides</i>	+	
<i>Stylium repens</i>	+	
<i>Trachymene pilosa</i>	+	
<i>Tricostularia neesii</i>	+	
<i>Ursinia anthemoides</i>	+	

## Site B44

<b>Date</b>	17/11/2016
<b>Botanist</b>	Kellie Bauer-Simpson, Lisa Chappel
<b>Quadrat Size</b>	10 x 10 m
<b>NW Corner Coordinates</b>	411604mE 6520520mN
<b>Habitat and Waterway</b>	Mid slope
<b>Slope</b>	Gentle
<b>Surface Layer</b>	Loose Gravel
<b>Soil Colour</b>	Brown
<b>Soil Texture</b>	Sand, Gravel
<b>Rock Type</b>	No Rocks
<b>Rock Size and Abundance</b>	No Rocks - N/A
<b>Vegetation Condition</b>	Very Good
<b>Disturbance Type</b>	Some weeds
<b>Time since Fire</b>	>5 years
<b>Leaf Litter Distribution and Cover</b>	Scattered; 0%



Species	Cover (%)	Height (m)
<i>Eucalyptus wandoo</i>	25	1.5
<i>Hakea lissocarpa</i>	3	1.5
<i>Xanthorrhoea preissii</i>	5	1.5
<i>Lepidosperma squamatum</i>	5	0.3
<i>Acacia barbinervis subsp. barbinervis</i>	+	
<i>Acacia drummondii subsp. affinis</i>	+	
<i>Austrostipa hemipogon</i>	+	
<i>Avena barbata</i>	+	
<i>Banksia bipinnatifida</i>	+	
<i>Banksia dallanneyi</i>	+	

Species	Cover (%)	Height (m)
<i>Bossiaea eriocarpa</i>	+	
<i>Conostylis setigera</i>	+	
<i>Dianella revoluta</i>	+	
<i>Ehrharta calycina</i>	+	
<i>Ehrharta longiflora</i>	+	
<i>Gompholobium marginatum</i>	+	
<i>Haemodorum laxum</i>	+	
<i>Hibbertia commutata</i>	+	
<i>Hibbertia hypericoides</i>	+	
<i>Hypochaeris glabra</i>	+	
<i>Kennedia coccinea</i>	+	
<i>Labichea punctata</i>	+	
<i>Lomandra sericea</i>	+	
<i>Neurachne alopecuroidea</i>	+	
<i>Trifolium dubium</i>	+	
<i>Ursinia anthemoides</i>	+	

## Site B45

<b>Date</b>	17/11/2016
<b>Botanist</b>	Kellie Bauer-Simpson, Lisa Chappel
<b>Quadrat Size</b>	10 x 10 m
<b>NW Corner Coordinates</b>	411604mE 6520520mN
<b>Habitat and Waterway</b>	Mid slope
<b>Slope</b>	Gentle
<b>Surface Layer</b>	Loose Gravel
<b>Soil Colour</b>	Brown
<b>Soil Texture</b>	Sand, Gravel
<b>Rock Type</b>	No Rocks
<b>Rock Size and Abundance</b>	No Rocks - N/A
<b>Vegetation Condition</b>	Very Good
<b>Disturbance Type</b>	Some weeds
<b>Time since Fire</b>	>5 years
<b>Leaf Litter Distribution and Cover</b>	Scattered; 0%



Species	Cover (%)	Height (m)
<i>Banksia attenuata</i>	16	5
<i>Banksia menziesii</i>	3	4
<i>Nuytsia floribunda</i>	2	5
<i>Xanthorrhoea preissii</i>	4	1.2
<i>Eremaea pauciflora</i>	10	0.8
<i>Stirlingia latifolia</i>	5	1
<i>Acacia pulchella</i>	+	
<i>Austrostipa hemipogon</i>	+	
<i>Calytrix flavescens</i>	+	
<i>Calytrix fraseri</i>	+	

Species	Cover (%)	Height (m)
<i>Cassytha racemosa</i>	+	
<i>Conostephium pendulum</i>	+	
<i>Conostylis juncea</i>	+	
<i>Drosera erythrorhiza</i>	+	
<i>Gompholobium tomentosum</i>	+	
<i>Hibbertia subvaginata</i>	+	
<i>Lechenaultia floribunda</i>	+	
<i>Lepidosperma squamatum</i>	+	
<i>Lomandra caespitosa</i>	+	
<i>Lomandra hermaphrodita</i>	+	
<i>Lomandra micrantha</i>	+	
<i>Lyginia barbata</i>	+	
<i>Melaleuca seriata</i>	+	
<i>Petrophile linearis</i>	+	
<i>Philotheeca spicata</i>	+	
<i>Pterostylis sp.</i>	+	
<i>Scholtzia involucrata</i>	+	
<i>Stylium brunonianum</i>	+	
<i>Synaphea spinulosa</i>	+	
<i>Tricoryne elatior</i>	+	
<i>Ursinia anthemoides</i>	+	

## Site B46

<b>Date</b>	22/11/2016
<b>Botanist</b>	Kellie Bauer-Simpson, Gabriela Martinez
<b>Quadrat Size</b>	10 x 10 m
<b>NW Corner Coordinates</b>	408937mE 6539299mN
<b>Habitat and Waterway</b>	Mid slope
<b>Slope</b>	Gentle
<b>Surface Layer</b>	Loose Soil
<b>Soil Colour</b>	Pale grey
<b>Soil Texture</b>	Sand
<b>Rock Type</b>	No Rocks
<b>Rock Size and Abundance</b>	No Rocks - N/A
<b>Vegetation Condition</b>	Good
<b>Disturbance Type</b>	Some weeds, Adenanthos colonisation
<b>Time since Fire</b>	>5 years
<b>Leaf Litter Distribution and Cover</b>	Scattered; 0%



Species	Cover (%)	Height (m)
<i>Eucalyptus todtiana</i>	6	8
<i>Banksia ilicifolia</i>	3	6
<i>Banksia menziesii</i>	5	5
<i>Adenanthos cygnorum</i>	20	3
<i>Xanthorrhoea preissii</i>	3	1
<i>Alexgeorgea nitens</i>	85	0.1
<i>Austrostipa hemipogon</i>	+	
<i>Bossiaea eriocarpa</i>	+	
<i>Briza maxima</i>	+	
<i>Conostephium pendulum</i>	+	
<i>Dampiera linearis</i>	+	
<i>Ehrharta calycina</i>	+	
<i>Eremaea pauciflora</i>	+	
<i>Gladiolus caryophyllaceus</i>	+	

Species	Cover (%)	Height (m)
<i>Hibbertia subvaginata</i>	+	
<i>Lomandra hermaphrodita</i>	+	
<i>Lyginia imberbis</i>	+	
<i>Neurachne alopecuroides</i>	+	
<i>Petrophile linearis</i>	+	
<i>Phlebocarya ciliata</i>	+	
<i>Schoenus sp.</i>	+	
<i>Stirlingia latifolia</i>	+	
<i>Ursinia anthemoides</i>	+	

## Site B47

<b>Date</b>	22/11/2016
<b>Botanist</b>	Kellie Bauer-Simpson, Gabriela Martinez
<b>Quadrat Size</b>	10 x 10 m
<b>NW Corner Coordinates</b>	40887mE 66538747mN
<b>Habitat and Waterway</b>	Mid slope
<b>Slope</b>	Gentle
<b>Surface Layer</b>	Loose Soil
<b>Soil Colour</b>	Pale grey
<b>Soil Texture</b>	Sand
<b>Rock Type</b>	No Rocks
<b>Rock Size and Abundance</b>	No Rocks - N/A
<b>Vegetation Condition</b>	Very Good
<b>Disturbance Type</b>	Weeds
<b>Time since Fire</b>	>5 years
<b>Leaf Litter Distribution and Cover</b>	Scattered; 0%



Species	Cover (%)	Height (m)
<i>Eucalyptus camaldulensis</i>	15	9
<i>Nuytsia floribunda</i>	20	7
<i>Banksia attenuata</i>	25	4
<i>Melaleuca preissiana</i>	4	4
<i>Alexgeorgea nitens</i>	6	0.1
<i>Calytrix sylvana</i>	2	1
<i>Phlebocarya ciliata</i>	5	0.6
<i>Adenanthes cygnorum</i>	+	
<i>Austrostipa hemipogon</i>	+	
<i>Conostylis aculeata</i>	+	
<i>Corynotheca micrantha</i>	+	

Species	Cover (%)	Height (m)
<i>Crassula colorata</i>	+	
<i>Ehrharta calycina</i>	+	
<i>Gnephosis angianthoides</i>	+	
<i>Hibbertia subvaginata</i>	+	
<i>Hypochaeris glabra</i>	+	
<i>Lechenaultia floribunda</i>	+	
<i>Lyginia imberbis</i>	+	
<i>Pentameris airoides</i>	+	
<i>Podotheca gnaphalioides</i>	+	
<i>Regelia ciliata</i>	+	
<i>Siloxerus humifusus</i>	+	
<i>Trachymene pilosa</i>	+	
<i>Ursinia anthemoides</i>	+	

## Site B48

<b>Date</b>	22/11/2016
<b>Botanist</b>	Kellie Bauer-Simpson, Gabriela Martinez
<b>Quadrat Size</b>	10 x 10 m
<b>NW Corner Coordinates</b>	4087670mE 6538729mN
<b>Habitat and Waterway</b>	Mid slope
<b>Slope</b>	Gentle
<b>Surface Layer</b>	Loose Soil
<b>Soil Colour</b>	Pale grey
<b>Soil Texture</b>	Sand
<b>Rock Type</b>	No Rocks
<b>Rock Size and Abundance</b>	No Rocks - N/A
<b>Vegetation Condition</b>	Good-Very Good
<b>Disturbance Type</b>	Some weeds and senescence
<b>Time since Fire</b>	>5 years
<b>Leaf Litter Distribution and Cover</b>	Scattered; 0%



Species	Cover (%)	Height (m)
<i>Melaleuca preissiana</i>	10	5
<i>Regelia ciliata</i>	65	1.2
<i>Jacksonia furcellata</i>	2	2
<i>Lechenaultia floribunda</i>	3	0.6
<i>Patersonia occidentalis</i>	3	0.4
<i>Hibbertia subvaginata</i>	+	
<i>Carpobrotus edulis</i>	+	
<i>Ursinia anthemoides</i>	+	
<i>Briza maxima</i>	+	
<i>Austrostipa hemipogon</i>	+	
<i>Crassula colorata</i>	+	

Species	Cover (%)	Height (m)
<i>Podotheca gnaphaliooides</i>	+	
<i>Gnephosis angianthoides</i>	+	
<i>Lyginia imberbis</i>	+	
<i>Hypochaeris glabra</i>	+	
<i>Pentameris airoides</i>	+	
<i>Trachymene pilosa</i>	+	
<i>Chamaescilla corymbosa</i>	+	
<i>Arnocrinum preissii</i>	+	

---

## APPENDIX C: FLORA SPECIES RECORDED WITHIN EACH QUADRAT

\*denotes introduced (weed) species

## APPENDIX D: FLORA SPECIES RECORDED WITHIN EACH VEGETATION COMMUNITY

\*denotes introduced (weed) species

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRcLf	MvJspLs
Zamiaceae	<i>Macrozamia riedlei</i>	+							+				+	
Typhaceae	<i>Typha</i> sp.													
Poaceae	<i>Amphipogon strictus</i> <i>Amphipogon turbinatus</i> <i>Austrostipa elegantissima</i> <i>Austrostipa hemipogon</i> <i>Austrostipa scabra</i> * <i>Avena barbata</i> * <i>Briza maxima</i> * <i>Briza minor</i> * <i>Ehrharta calycina</i> * <i>Ehrharta longiflora</i> * <i>Hordeum leporinum</i> * <i>Lolium rigidum</i> <i>Microlaena stipoides</i> <i>Neurachne alopecuroidea</i> * <i>Pentameris airoides</i> <i>Poa drummondiana</i> <i>Tetrarrhena laevis</i> * <i>Vulpia bromoides</i> * <i>Vulpia myuros</i>	+		+	+	+	+	+	+	+	+	+	+	+
Cyperaceae	<i>Baumea articulata</i> <i>Baumea rubiginosa</i> <i>Caustis dioica</i> * <i>Cyperus polystachyos</i> <i>Isolepis cernua</i> * <i>Isolepis marginata</i>	+					+	+	+	+	+	+	+	+

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRclF	MvJspLs
Cyperaceae	<i>Lepidosperma squamatum</i> <i>Lepidosperma ?squamatum</i> <i>Lepidosperma striatum</i> <i>Lepidosperma tenue</i> <i>Mesomelaena pseudostygia</i> <i>Mesomelaena tetragona</i> <i>Schoenus brevisetis</i> <i>Schoenus clandestinus</i> <i>Schoenus curvifolius</i> <i>Schoenus efoliatus</i> <i>Schoenus sp.</i> <i>Tetraria octandra</i> <i>Tricostularia neesii</i>	+			+	+		+	+		+	+		
Restionaceae	<i>Alexgeorgea nitens</i> <i>Desmocladus fasciculatus</i> <i>Hypolaena exsulca</i> <i>Hypolaena pubescens</i> <i>Lepidobolus preissianus</i> <i>Lyginia barbata</i> <i>Lyginia imberbis</i>	+	+	+	+	+	+	+	+	+	+	+	+	+
Juncaceae	* <i>Juncus acutus</i>													+
Juncaceae	* <i>Juncus bufonius</i> <i>Juncus pallidus</i>						+							+
Asparagaceae	<i>Acanthocarpus preissii</i> <i>Chamaescilla corymbosa</i> <i>Dianella revoluta</i> <i>Laxmannia ramosa</i> subsp. <i>ramosa</i> <i>Laxmannia squarrosa</i> <i>Lomandra caespitosa</i> <i>Lomandra hermaphrodita</i> <i>Lomandra micrantha</i> <i>Lomandra preissii</i>	+		+	+	+		+	+	+	+	+	+	+

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRclLf	MvJspLs
Asparagaceae	<i>Lomandra sericea</i> <i>Sowerbaea laxiflora</i> <i>Thysanotus manglesianus</i> <i>Thysanotus patersonii</i>	+			+			+	+		+	+		
Xanthorrhoeaceae	<i>Xanthorrhoea gracilis</i> <i>Xanthorrhoea preissii</i>	+	+	+	+	+	+	+	+	+	+	+		
Colchicaceae	<i>Burchardia congesta</i> <i>Wurmbea dioica</i> subsp. <i>alba</i>	+		+	+	+			+		+	+		
Boryaceae	<i>Borya sphaerocephala</i>										+			
Hemerocallidaceae	<i>Arnocrinum preissii</i> <i>Caesia occidentalis</i> <i>Corynotheca micrantha</i> <i>Stypandra glauca</i> <i>Tricoryne elatior</i>	+				+		+	+		+	+	+	+
Haemodoraceae	<i>Anigozanthos humilis</i> <i>Anigozanthos manglesii</i> <i>Anigozanthos viridis</i> subsp. <i>viridis</i> <i>Conostylis aculeata</i> <i>Conostylis juncea</i> <i>Conostylis prolifera</i> <i>Conostylis setigera</i> <i>Conostylis setosa</i> <i>Conostylis teretifolia</i> <i>Haemodorum laxum</i> <i>Haemodorum simplex</i> <i>Phlebocarya ciliata</i>	+		+	+	+		+	+		+	+	+	+
Iridaceae	* <i>Freesia alba</i> x <i>leichtlinii</i> * <i>Gladiolus caryophyllaceus</i> * <i>Moraea flaccida</i>	+		+	+	+			+	+	+	+		+

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRclf	MvJspLs
Iridaceae	<i>Patersonia occidentalis</i> * <i>Romulea rosea</i> * <i>Watsonia meriana</i> ?Iridaceae sp.	+		+	+	+	+	+			+	+	+	+
Orchidaceae	<i>Caladenia flava</i> * <i>Disa bracteata</i> <i>Elythranthera brunonis</i> <i>Eriochilus dilatatus</i> <i>Leporella fimbriata</i> <i>Pterostylis glebosa</i> <i>Pterostylis</i> sp. <i>Pyrorchis nigricans</i> <i>Thelymitra crinita</i> Orchidaceae sp.	+	+	+	+	+	+	+	+	+	+	+	+	+
Casuarinaceae	<i>Allocasuarina fraseriana</i> <i>Allocasuarina humilis</i> <i>Casuarina obesa</i>	+						+			+	+		
Proteaceae	<i>Adenanthos cygnorum</i> <i>Adenanthos cygnorum</i> subsp. <i>chamaephyton</i> (P3) <i>Banksia armata</i> <i>Banksia attenuata</i> <i>Banksia bipinnatifida</i> <i>Banksia dallanneyi</i> <i>Banksia fraseri</i> var. <i>fraseri</i> <i>Banksia grandis</i> <i>Banksia ilicifolia</i> <i>Banksia littoralis</i> <i>Banksia menziesii</i> <i>Banksia polyccephala</i> <i>Banksia sessilis</i> <i>Banksia telmatiae</i> <i>Conospermum acerosum</i> subsp. <i>acerosum</i>	+	+	+	+	+	+	+	+	+	+	+	+	+

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRclF	MvJspLs
Proteaceae	<i>Conospermum stoechadis</i> subsp. <i>stoechadis</i> <i>Conospermum teretifolium</i> <i>Grevillea bipinnatifida</i> subsp. <i>bipinnatifida</i> <i>Grevillea pilulifera</i> <i>Grevillea synapheae</i> <i>Grevillea vestita</i> subsp. <i>vestita</i> <i>Hakea lissocarpa</i> <i>Hakea stenocarpa</i> <i>Hakea undulata</i> <i>Hakea varia</i> <i>Petrophile linearis</i> <i>Petrophile macrostachya</i>   <i>Petrophile serruriae</i>   <i>Petrophile striata</i> * <i>Petrorrhagia dubia</i> <i>Stirlingia latifolia</i> <i>Synaphea panhesya</i> (P1) <i>Synaphea spinulosa</i> <i>Synaphea</i> sp.	+		+	+	+		+	+	+	+	+		
Loranthaceae	<i>Nuytsia floribunda</i>	+												+
Amaranthaceae	<i>Ptilotus manglesii</i>			+	+						+	+		
Molluginaceae	<i>Macarthuria australis</i>								+					
Aizoaceae	* <i>Carpobrotus edulis</i>													+
Portulacaceae	<i>Calandrinia liniflora</i>	+												
Lauraceae	<i>Cassytha racemosa</i>	+			+	+						+		
Droseraceae	<i>Drosera erythrorhiza</i> <i>Drosera gigantea</i> subsp. <i>gigantea</i> <i>Drosera glanduligera</i>	+	+	+	+	+	+	+	+			+		

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRclf	MvJspLs
Droseraceae	<i>Drosera macrantha</i> subsp. <i>macrantha</i> <i>Drosera menziesii</i> <i>Drosera neesii</i> subsp. <i>neesii</i> <i>Drosera sewerliae</i> (P2) <i>Drosera ?sewerliae</i> (P2) <i>Drosera ?stolonifera</i> <i>Drosera subhirtella</i>	+	+		+			+	+		+	+		+
Crassulaceae	<i>Crassula colorata</i>	+		+	+	+	+	+	+			+		+
Fabaceae	<i>Acacia appplanata</i> <i>Acacia barbinervis</i> subsp. <i>barbinervis</i> <i>Acacia drummondii</i> subsp. <i>affinis</i> (P3) <i>Acacia huegelii</i> * <i>Acacia iteaphylla</i> <i>Acacia pulchella</i> <i>Acacia pulchella</i> var. <i>pulchella</i> <i>Acacia pulchella</i> var. <i>reflexa</i> <i>Acacia saligna</i> <i>Acacia sphacelata</i> subsp. <i>sphacelata</i> <i>Acacia squamata</i> <i>Aotus gracillima</i> <i>Bossiaea eriocarpa</i> <i>Bossiaea ornata</i> <i>Daviesia decurrens</i> <i>Daviesia divaricata</i> <i>Daviesia nudiflora</i> <i>Daviesia physodes</i> <i>Daviesia preissii</i> <i>Daviesia triflora</i> <i>Dillwynia laxiflora</i> <i>Gastrolobium ?crispatum</i> (P1) <i>Gastrolobium calycinum</i> <i>Gastrolobium capitatum</i> <i>Gastrolobium pauciflorum</i>	+		+	+	+		+	+		+	+		
		+			+	+	+	+	+		+	+		

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRclF	MvJspLs
Fabaceae	<i>Gompholobium aristatum</i> <i>Gompholobium knightianum</i> <i>Gompholobium marginatum</i> <i>Gompholobium preissii</i> <i>Gompholobium shuttleworthii</i> <i>Gompholobium tomentosum</i> <i>Isotropis cuneifolia</i> subsp. <i>cuneifolia</i> <i>Jacksonia eremodendron</i> <i>Jacksonia floribunda</i> <i>Jacksonia furcellata</i> <i>Jacksonia sternbergiana</i> <i>Johnsonia pubescens</i> subsp. <i>pubescens</i> <i>Kennedia coccinea</i> <i>Kennedia prostrata</i> <i>Kennedia stirlingii</i> <i>Labichea punctata</i> * <i>Lotus angustissimus</i> * <i>Lotus subbiflorus</i> * <i>Ornithopus pinnatus</i> * <i>Trifolium campestre</i> * <i>Trifolium dubium</i> * <i>Trifolium hirtum</i>	+		+	+	+	+	+	+	+	+	+	+	+
Geraniaceae	* <i>Erodium botrys</i>													
Rutaceae	<i>Boronia ramosa</i> <i>Boronia ramosa</i> subsp. <i>anethifolia</i> <i>Philotheca spicata</i> ? <i>Philotheca spicata</i>	+	+	+	+	+	+	+	+	+	+	+	+	+
Polygalaceae	<i>Comesperma calymega</i> <i>Comesperma scoparium</i>			+									+	
Phyllanthaceae	<i>Phyllanthus calycinus</i> <i>Poranthera microphylla</i>	+		+					+			+		

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRclF	MvJspLs
Euphorbiaceae	<i>Monotaxis grandiflora</i>								+					
Celastraceae	<i>Stackhousia pubescens</i> <i>Tripterococcus brunonis</i>			+	+				+			+		
Rhamnaceae	<i>Stenanthesum coronatum</i> <i>Trymalium angustifolium</i>					+					+			
Elaeocarpaceae	<i>Tetrapetra hirsuta</i>					+								
Malvaceae	<i>Thomasia grandiflora</i>													
Dilleniaceae	<i>Hibbertia acerosa</i> <i>Hibbertia aurea</i> <i>Hibbertia commutata</i> <i>Hibbertia hibbertioides</i> var. <i>hibbertioides</i> <i>Hibbertia huegelii</i> <i>Hibbertia hypericoides</i> <i>Hibbertia miniata</i> (P4) <i>Hibbertia stellaris</i> <i>Hibbertia subvaginata</i>	+	+	+	+	+		+	+	+	+	+	+	+
Thymelaeaceae	<i>Pimelea suaveolens</i> subsp. <i>suaveolens</i>							+	+					
Myrtaceae	<i>Astartea scoparia</i> <i>Babingtonia camphorosmae</i> <i>Beaufortia elegans</i> <i>Calothamnus sanguineus</i> <i>Calytrix depressa</i> <i>Calytrix flavescens</i> <i>Calytrix fraseri</i> <i>Calytrix sylvana</i> <i>Calytrix variabilis</i> <i>Corymbia calophylla</i> <i>Eremaea pauciflora</i>	+	+	+	+	+	+	+	+	+	+	+	+	+

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRclLf	MvJspLs
Myrtaceae	<i>Eremaea purpurea</i> <i>Ericomyrtus tenuior</i> <i>Eucalyptus camaldulensis</i> <i>Eucalyptus marginata</i> <i>Eucalyptus rufa</i> <i>Eucalyptus todtsiana</i> <i>Eucalyptus wandoo</i> <i>Hypocalymma angustifolium</i> <i>Kunzea glabrescens</i> <i>Melaleuca preissiana</i> <i>Melaleuca seriata</i> <i>Melaleuca teretifolia</i> <i>Melaleuca trichophylla</i> <i>Melaleuca viminea</i> <i>Pericalymma ellipticum</i> <i>Regelia ciliata</i> <i>Scholtzia involucrata</i> <i>Verticordia bifimbriata</i> <i>Verticordia chrysanthella</i> <i>Verticordia densiflora</i> <i>Verticordia nobilis</i> <i>Verticordia serrata var. ciliata</i>	+	+	+	+	+	+	+	+	+	+	+	+	+
Haloragaceae														
Araliaceae	<i>Gonocarpus nodulosus</i> <i>Gonocarpus pithyoides</i> <i>Hydrocotyle alata</i> <i>Trachymene pilbarensis</i> <i>Trachymene pilosa</i>	+	+	+	+	+	+	+	+	+	+	+	+	+
Apiaceae	<i>Pentapeltis peltigera</i> <i>Xanthosia candida</i> <i>Xanthosia huegelii</i>			+	+	+	+	+	+					
Ericaceae	<i>Astroloma pallidum</i> <i>Conostephium minus</i>	+								+	+			

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRclf	MvJspLs
Ericaceae	<i>Conostephium pendulum</i> <i>Leucopogon polymorphus</i> <i>Leucopogon propinquus</i> <i>Leucopogon pulchellus</i> <i>Leucopogon sprengeliooides</i> <i>Leucopogon</i> sp. <i>Lysinema</i> sp. <i>Styphelia tenuiflora</i>	+			+				+	+		+		
Primulaceae	<i>Lysimachia arvensis</i>			+				+			+	+		
Loganiaceae	<i>Phyllangium divergens</i>	+	+		+			+				+		
Lamiaceae	<i>Hemiandra pungens</i> <i>Hemigenia sericea</i> * <i>Stachys arvensis</i>	+			+							+		+
Scrophulariaceae	* <i>Dischisma capitatum</i>							+						
Orobanchaceae	* <i>Orobanche minor</i> * <i>Parentucellia latifolia</i>			+				+				+		
Lentibulariaceae	<i>Utricularia multifida</i>													+
Rubiaceae	<i>Opercularia vaginata</i>								+		+	+		
Campanulaceae	<i>Lobelia rhombifolia</i> * <i>Wahlenbergia capensis</i>				+				+			+		
Goodeniaceae	<i>Dampiera alata</i> <i>Dampiera linearis</i> <i>Goodenia berardiana</i> <i>Goodenia coerulea</i> <i>Lechenaultia biloba</i> <i>Lechenaultia floribunda</i>	+				+				+	+	+		+

Family	Species	BaXpAn	BmKgH	CcXpBe	EmBsHh	EmXpHh	ErHaBr	ErXpLt	EtBeAn	EtEpAn	EwBeNa	EwXpHh	MpRclf	MvJspLs
Styliaceae	<i>Levenhookia octomaculata</i> <i>Levenhookia pusilla</i> <i>Stylium affine</i> <i>Stylium albolicinum</i> <i>Stylium amoenum</i> <i>Stylium androsaceum</i> <i>Stylium araeophyllum</i> <i>Stylium brunonianum</i> <i>Stylium ?bulbiferum</i> <i>Stylium neurophyllum</i> <i>Stylium piliferum</i> <i>Stylium repens</i> <i>Stylium schoenoides</i> <i>Stylium sp. Bindoon (K.F. Kenneally 11405)</i>	+			+	+	+		+		+	+		
Asteraceae	* <i>Arctotheca calendula</i> <i>Brachyscome pusilla</i> * <i>Conyza bonariensis</i> * <i>Cotula coronopifolia</i> <i>Gnephosis angianthoides</i> <i>Helichrysum luteoalbum</i> <i>Hyalosperma cotula</i> * <i>Hypochaeris glabra</i> <i>Lagenophora huegelii</i> <i>Millotia myosotidifolia</i> <i>Millotia tenuifolia</i> var. <i>tenuifolia</i> <i>Podolepis aristata</i> <i>Podolepis lessonii</i> <i>Podotheca gnaphaloides</i> <i>Pterochaeta paniculata</i> <i>Rhodanthe citrina</i> <i>Siloxerus humifusus</i> <i>Trichocline spathulata</i> * <i>Ursinia anthemoides</i> <i>Waitzia suaveolens</i> var. <i>suaveolens</i>	+	+	+	+	+	+	+	+	+	+	+	+	+