

APPENDIX 1-3 GDE Memo



PO Box 50 / 9 Stirling Hwy North Fremantle WA 6159 p: (08) 9430 8955 e: mail@ecoscape.com.au www.ecoscape.com.au ABN 70 070 128 675







30 January 2017

Our ref: 11133-3397-15L

Lara Jefferson **Environment Manager Hastings Technology Metals** C/- Wave International 306 Murray Street, Perth Western Australia 6000

Dear Lara

IMPACT OF POST MINING GROUNDWATER DRAWDOWN ON GROUNDWATER DEPENDANT ECOSYSTEMS

During 2015, Ecoscape conducted Level 2 Flora, Vegetation and Fauna assessments within Hastings' Yangibana study area, in the Gascoyne region of Western Australia. Since then, the post mining groundwater drawdown modelling has been conducted. This document presents the results of this modelling with regards to the potential impacts to Groundwater Dependant Ecosystems (GDEs).

As outlined by Ecoscape (2016), vegetation types with the phreatophytic species Eucalyptus camaldulensis were considered to represent a GDE whilst vegetation characterised by Eucalyptus victrix were considered potentially representative of a GDE. The **EcMqCc** vegetation type was dominated by *Eucalyptus camaldulensis* and is therefore considered as a GDE. The **EvCc** and **EvReMg** vegetation types were characterised by *Eucalyptus victrix* whilst the AcEt and AcAsCc occasionally contained this species and may therefore represent a GDE.

The modelled post mining groundwater drawdown is presented in the maps attached (Figure 4, Figure 5, Figure 6 and Figure 7). This mapping demonstrates that, of the GDEs (or potential GDEs) identified within the Yangibana study area, only the AcEt vegetation type intersects the modelled post mining drawdown. This includes 19.05 ha at 'Bald Hill', 22.09 ha at 'Frasers' and 100.61 ha at 'Yangibana' (total of 141.74 ha).

The AcEt vegetation type is primarily dominated by Acacia cyperophylla which is not known or considered to be a groundwater dependant species. This vegetation type was only occasionally observed to contain scattered or isolated individuals of Eucalyptus victrix, more commonly this species was absent. Therefore, it is considered unlikely that the AcEt vegetation type represents a groundwater dependant, at least in most cases. The potential impact of post mining groundwater drawdown on GDE's is therefore considered likely to be negligible or nil.

Yours sincerely


Ecoscape (Australia) Pty Ltd

STEPHEN KERN

Senior Botanist, Team Leader

QA Approved by:	Lyn Atkins Associate Environmental Scientist	L. atkis.	Date:	30/01/2017
-----------------	--	-----------	-------	------------





SCALE: 1:20,000 @ A4

COORDINATE SYSTEM: GDA 1994 MGA ZONE 50 PROJECTION: TRANSVERSE MERCATOR DATUM: GDA 1994 UNITS: METER

DATA SOURCES:
SERVICE LAYERS: SOURCE: ESRI, DIGITALGLOBE, GEOEYE, I-CUBED, USDA, USGS, AEX, GETMAPPING, AEROGRID, IGN, IGP, SWISSTOPO, AND THE GIS USER COMMUNITY




PROJECT NO: 3402-15 REV AUTHOR APPROVED DATE 25/01/2017



FRASERS POST MINING **GROUNDWATER** DRAWDOWN

YANGIBANA RARE EARTHS PROJECT CLIENT: HASTINGS



SCALE: 1:20,000 @ A4

COORDINATE SYSTEM: GDA 1994 MGA ZONE 50 PROJECTION: TRANSVERSE MERCATOR DATUM: GDA 1994 UNITS: METER

DATA SOURCES:
SERVICE LAYERS: SOURCE: ESRI, DIGITALGLOBE, GEOEYE, I-CUBED, USDA, USGS, AEX, GETMAPPING, AEROGRID, IGN, IGP, SWISSTOPO, AND THE GIS USER COMMUNITY




PROJECT NO: 3402-15 REV AUTHOR APPROVED DATE 25/01/2017



BALD HILL POST MINING GROUNDWATER DRAWDOWN

YANGIBANA RARE EARTHS PROJECT CLIENT: HASTINGS



SCALE: 1:35,000 @ A4

COORDINATE SYSTEM: GDA 1994 MGA ZONE 50 PROJECTION: TRANSVERSE MERCATOR DATUM: GDA 1994 UNITS: METER


DATA SOURCES:
SERVICE LAYERS: SOURCE: ESRI, DIGITALGLOBE, GEOEYE, ICUBED, USDA, USGS, AEX, GETMAPPING, AEROGRID, IGN,
IGP, SWISSTOPO, AND THE GIS USER COMMUNITY



PROJECT NO: 3402-15 REV AUTHOR APPROVED DATE 25/01/2017

YANGIBANA POST MINING GROUNDWATER **DRAWDOWN**

YANGIBANA RARE EARTHS PROJECT CLIENT: HASTINGS



COORDINATE SYSTEM: GDA 1994 MGA ZONE 50 PROJECTION: TRANSVERSE MERCATOR DATUM: GDA 1994 UNITS: METER

DATA SOURCES:
SERVICE LAYERS: SOURCE: ESRI, DIGITALGLOBE, GEOFYE, I-CUBEDUSDA, USGS, AEX, GETMAPPING, AEROGRID, IGN, IGP, SWISSTOPO,
AND THE GIS USER COMMUNITY

25/01/2017

GROUNDWATER DRAWDOWN AND GDES

YANGIBANA RARE EARTHS PROJECT CLIENT: HASTINGS